

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

L Number	Hits	Search Text	DB	Time stamp
18	5	"6625331"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 08:57
19	10	("4809216" "5742867" "5764611" "5867285" "5893009" "6016386" "6118463" "6215512" "6323955" "6441915").PN.	USPAT	2004/10/15 08:59
20	0	6625331.URPN.	USPAT	2004/10/15 08:59
21	11282	color near1 (shift\$4 or distort\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 09:55
22	4654	line with address with change	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 09:55
23	114	bow adj1 distortion	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 09:55
24	715040	image adj1 (forming or printing) or printer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 10:44
25	76884	resist with pattern	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 09:56
26	46	subscan with position with correct\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 09:57
27	287	main with scan with position with correct\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 09:57
28	46289	(test or reference) adj1 (pattern or mark)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 09:57
29	745	misregistration near3 correct\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 09:58

30	5882	positional adj1 error	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 09:58
31	78500	resist with (pattern or mark)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 09:59
32	830	image adj1 dislocation or color adj1 drift	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 10:00
33	252168	(clamp\$4 or limit\$4) with (maximum or predetermined adj1 (range or value or distance) or threshold)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 11:16
34	7079495	@ad>19980703 not (continuation not provision\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 10:12
35	8587	(distort\$4 or misalign\$4 or shift\$4) with image near2 (formed or produced or printed)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 17:20
36	8676	maximum adj2 ((distort\$4 or misalign\$4 or shift\$4) or line near2 number)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 10:16
37	10726	predetermined adj2 ((distort\$4 or misalign\$4 or shift\$4) or line near2 number)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 10:16
38	140	((distort\$4 or misalign\$4 or shift\$4) with image near2 (formed or produced or printed)) and (maximum adj2 ((distort\$4 or misalign\$4 or shift\$4) or line near2 number))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 10:16
39	206	((distort\$4 or misalign\$4 or shift\$4) with image near2 (formed or produced or printed)) and (predetermined adj2 ((distort\$4 or misalign\$4 or shift\$4) or line near2 number))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 10:17

40	335	((((distort\$4 or misalign\$4 or shift\$4) with image near2 (formed or produced or printed)) and (maximum adj2 ((distort\$4 or misalign\$4 or shift\$4) or line near2 number))) or (((distort\$4 or misalign\$4 or shift\$4) with image near2 (formed or produced or printed)) and (predetermined adj2 ((distort\$4 or misalign\$4 or shift\$4) or line near2 number))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 10:17
41	200	(((((distort\$4 or misalign\$4 or shift\$4) with image near2 (formed or produced or printed)) and (maximum adj2 ((distort\$4 or misalign\$4 or shift\$4) or line near2 number))) or (((distort\$4 or misalign\$4 or shift\$4) with image near2 (formed or produced or printed)) and (predetermined adj2 ((distort\$4 or misalign\$4 or shift\$4) or line near2 number)))) not (@ad>19980703 not (continuation not provision\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 10:17
42	580603	((color near1 (shift\$4 or distort\$4)) ot (line with address with change) or (bow adj1 distortion) or (positional adj1 error) or (image adj1 dislocation or color adj1 drift))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 10:18
43	123089	(resist with pattern) or ((test or reference) adj1 (pattern or mark)) or (resist with (pattern or mark))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 10:19
44	1054	(subscan with position with correct\$4) or (main with scan with position with correct\$4) or (misregistration near3 correct\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 10:20
45	23	(((((distort\$4 or misalign\$4 or shift\$4) with image near2 (formed or produced or printed)) and (maximum adj2 ((distort\$4 or misalign\$4 or shift\$4) or line near2 number))) or (((distort\$4 or misalign\$4 or shift\$4) with image near2 (formed or produced or printed)) and (predetermined adj2 ((distort\$4 or misalign\$4 or shift\$4) or line near2 number)))) not (@ad>19980703 not (continuation not provision\$2))) and (((color near1 (shift\$4 or distort\$4)) ot (line with address with change) or (bow adj1 distortion) or (positional adj1 error) or (image adj1 dislocation or color adj1 drift)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 10:20
47	0	(((((distort\$4 or misalign\$4 or shift\$4) with image near2 (formed or produced or printed)) and (maximum adj2 ((distort\$4 or misalign\$4 or shift\$4) or line near2 number))) or (((distort\$4 or misalign\$4 or shift\$4) with image near2 (formed or produced or printed)) and (predetermined adj2 ((distort\$4 or misalign\$4 or shift\$4) or line near2 number)))) not (@ad>19980703 not (continuation not provision\$2))) and ((subscan with position with correct\$4) or (main with scan with position with correct\$4) or (misregistration near3 correct\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 10:20
48	33	(((((distort\$4 or misalign\$4 or shift\$4) with image near2 (formed or produced or printed)) and (maximum adj2 ((distort\$4 or misalign\$4 or shift\$4) or line near2 number))) or (((distort\$4 or misalign\$4 or shift\$4) with image near2 (formed or produced or printed)) and (predetermined adj2 ((distort\$4 or misalign\$4 or shift\$4) or line near2 number)))) not (@ad>19980703 not (continuation not provision\$2))) and ((clamp\$4 or limit\$4) with (maximum or predetermined adj1 (range or value or distance) or threshold))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 10:21
49	25	((resist with correct\$4) and (maximum with correct\$4 with distort\$4)) or ((resist with correct\$4) and (range with correct\$4 with distort\$4)) or ((resist with correct\$4) and (range with distort\$4)) or ((resist with correct\$4) and (maximum with distort\$4)) or ((resist with correct\$4) and ((clamp\$4 or limit\$4) with correct\$4 with distort\$4))) not (@ad>19980703 not (continuation not provision\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 10:44

50	16	(((((resist with correct\$4) and (maximum with correct\$4 with distort\$4)) or ((resist with correct\$4) and (range with correct\$4 with distort\$4)) or ((resist with correct\$4) and (range with distort\$4)) or ((resist with correct\$4) and (maximum with distort\$4)) or ((resist with correct\$4) and ((clamp\$4 or limit\$4) with correct\$4 with distort\$4))) not (@ad>19980703 not (continuation not provision\$2))) and (print\$4 or image near1 forming)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 10:45
51	120	(mark\$4 with correct\$4) and (((clamp\$4 or limit\$4) with correct\$4 with distort\$4) or (maximum with correct\$4 with distort\$4) or (range with correct\$4 with distort\$4) or (range with distort\$4) or (maximum with distort\$4)) and (print\$4 or image near1 forming) not (@ad>19980703 not (continuation not provision\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 10:46
52	99054	tandem or (print\$4 or image adj1 forming) adj1 units	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 10:46
53	715040	image adj1 (forming or printing) or printer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 10:46
46	22	(((((distort\$4 or misalign\$4 or shift\$4) with image near2 (formed or produced or printed)) and (maximum adj2 ((distort\$4 or misalign\$4 or shift\$4) or line near2 number))) or (((distort\$4 or misalign\$4 or shift\$4) with image near2 (formed or produced or printed)) and (predetermined adj2 ((distort\$4 or misalign\$4 or shift\$4) or line near2 number)))) not (@ad>19980703 not (continuation not provision\$2))) and ((resist with pattern) or ((test or reference) adj1 (pattern or mark)) or (resist with (pattern or mark)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 11:04
54	5548	correct\$4 with (((color near1 (shift\$4 or distort\$4)) ot (line with address with change) or (bow adj1 distortion) or (positional adj1 error) or (image adj1 dislocation or color adj1 drift)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 11:05
55	0	(correct\$4 with (((color near1 (shift\$4 or distort\$4)) ot (line with address with change) or (bow adj1 distortion) or (positional adj1 error) or (image adj1 dislocation or color adj1 drift))) and ((((((distort\$4 or misalign\$4 or shift\$4) with image near2 (formed or produced or printed)) and (maximum adj2 ((distort\$4 or misalign\$4 or shift\$4) or line near2 number))) or (((distort\$4 or misalign\$4 or shift\$4) with image near2 (formed or produced or printed)) and (predetermined adj2 ((distort\$4 or misalign\$4 or shift\$4) or line near2 number)))) not (@ad>19980703 not (continuation not provision\$2))) and ((resist with pattern) or ((test or reference) adj1 (pattern or mark)) or (resist with (pattern or mark))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 11:05
56	0	(correct\$4 with (((color near1 (shift\$4 or distort\$4)) ot (line with address with change) or (bow adj1 distortion) or (positional adj1 error) or (image adj1 dislocation or color adj1 drift))) and ((((((distort\$4 or misalign\$4 or shift\$4) with image near2 (formed or produced or printed)) and (maximum adj2 ((distort\$4 or misalign\$4 or shift\$4) or line near2 number))) or (((distort\$4 or misalign\$4 or shift\$4) with image near2 (formed or produced or printed)) and (predetermined adj2 ((distort\$4 or misalign\$4 or shift\$4) or line near2 number)))) not (@ad>19980703 not (continuation not provision\$2))) and ((subscan with position with correct\$4) or (main with scan with position with correct\$4) or (misregistration near3 correct\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 11:06

57	4	(correct\$4 with (((color near1 (shift\$4 or distort\$4)) ot (line with address with change) or (bow adj1 distortion) or (positional adj1 error) or (image adj1 dislocation or color adj1 drift)))) and ((((((distort\$4 or misalign\$4 or shift\$4) with image near2 (formed or produced or printed)) and (maximum adj2 ((distort\$4 or misalign\$4 or shift\$4) or line near2 number))) or (((distort\$4 or misalign\$4 or shift\$4) with image near2 (formed or produced or printed)) and (predetermined adj2 ((distort\$4 or misalign\$4 or shift\$4) or line near2 number)))) not (@ad>19980703 not (continuation not provision\$2))) and (((color near1 (shift\$4 or distort\$4)) ot (line with address with change) or (bow adj1 distortion) or (positional adj1 error) or (image adj1 dislocation or color adj1 drift))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 11:06
59	85467	(clamp\$4 or limit\$4 or setting) adj3 (maximum or predetermined adj1 (range or value or distance))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 13:00
60	5151	(image adj1 (forming or printing) or printer) and ((clamp\$4 or limit\$4 or setting) adj3 (maximum or predetermined adj1 (range or value or distance)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 11:20
61	1116	((resist with pattern) or ((test or reference) adj1 (pattern or mark)) or (resist with (pattern or mark))) and ((clamp\$4 or limit\$4 or setting) adj3 (maximum or predetermined adj1 (range or value or distance)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 11:20
62	247	((image adj1 (forming or printing) or printer) and ((clamp\$4 or limit\$4 or setting) adj3 (maximum or predetermined adj1 (range or value or distance)))) and (((resist with pattern) or ((test or reference) adj1 (pattern or mark)) or (resist with (pattern or mark))) and ((clamp\$4 or limit\$4 or setting) adj3 (maximum or predetermined adj1 (range or value or distance))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 11:21
63	161	((image adj1 (forming or printing) or printer) and ((clamp\$4 or limit\$4 or setting) adj3 (maximum or predetermined adj1 (range or value or distance)))) and (((resist with pattern) or ((test or reference) adj1 (pattern or mark)) or (resist with (pattern or mark))) and ((clamp\$4 or limit\$4 or setting) adj3 (maximum or predetermined adj1 (range or value or distance)))) not (@ad>19980703 not (continuation not provision\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 12:53
86	121899	(detect\$4 or measur\$4 or evaluat\$4 or sens\$4 or obtain\$4) adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 17:21
87	80716	correct\$5 adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 12:56
88	22667	((detect\$4 or measur\$4 or evaluat\$4 or sens\$4 or obtain\$4) adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error)) and (correct\$5 adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 12:57

89	14930	((((detect\$4 or measur\$4 or evaluat\$4 or sens\$4 or obtain\$4) adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error)) and (correct\$5 adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error))) not (@ad>19980703 not (continuation not provision\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 12:57
90	16	(((((detect\$4 or measur\$4 or evaluat\$4 or sens\$4 or obtain\$4) adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error)) and (correct\$5 adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error))) not (@ad>19980703 not (continuation not provision\$2))) and (((((distort\$4 or misalign\$4 or shift\$4) with image near2 (formed or produced or printed)) and (maximum adj2 ((distort\$4 or misalign\$4 or shift\$4) or line near2 number))) or (((distort\$4 or misalign\$4 or shift\$4) with image near2 (formed or produced or printed)) and (predetermined adj2 ((distort\$4 or misalign\$4 or shift\$4) or line near2 number)))) not (@ad>19980703 not (continuation not provision\$2)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 12:58
91	883	(((((detect\$4 or measur\$4 or evaluat\$4 or sens\$4 or obtain\$4) adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error)) and (correct\$5 adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error))) not (@ad>19980703 not (continuation not provision\$2))) and (((color near1 (shift\$4 or distort\$4)) ot (line with address with change) or (bow adj1 distortion) or (positional adj1 error) or (image adj1 dislocation or color adj1 drift)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 12:58
92	651	(((((detect\$4 or measur\$4 or evaluat\$4 or sens\$4 or obtain\$4) adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error)) and (correct\$5 adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error))) not (@ad>19980703 not (continuation not provision\$2))) and ((resist with pattern) or ((test or reference) adj1 (pattern or mark)) or (resist with (pattern or mark)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 12:59
93	6	(image adj1 (forming or printing) or printer) and (((((detect\$4 or measur\$4 or evaluat\$4 or sens\$4 or obtain\$4) adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error)) and (correct\$5 adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error))) not (@ad>19980703 not (continuation not provision\$2))) and (((((distort\$4 or misalign\$4 or shift\$4) with image near2 (formed or produced or printed)) and (maximum adj2 ((distort\$4 or misalign\$4 or shift\$4) or line near2 number))) or (((distort\$4 or misalign\$4 or shift\$4) with image near2 (formed or produced or printed)) and (predetermined adj2 ((distort\$4 or misalign\$4 or shift\$4) or line near2 number)))) not (@ad>19980703 not (continuation not provision\$2)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 12:59
94	143	(image adj1 (forming or printing) or printer) and (((((detect\$4 or measur\$4 or evaluat\$4 or sens\$4 or obtain\$4) adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error)) and (correct\$5 adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error))) not (@ad>19980703 not (continuation not provision\$2))) and (((color near1 (shift\$4 or distort\$4)) ot (line with address with change) or (bow adj1 distortion) or (positional adj1 error) or (image adj1 dislocation or color adj1 drift)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 13:00
95	162	(image adj1 (forming or printing) or printer) and (((((detect\$4 or measur\$4 or evaluat\$4 or sens\$4 or obtain\$4) adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error)) and (correct\$5 adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error))) not (@ad>19980703 not (continuation not provision\$2))) and ((resist with pattern) or ((test or reference) adj1 (pattern or mark)) or (resist with (pattern or mark))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 13:00
96	2274420	(maximum or predetermined adj1 (range or value or distance))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 13:00
97	72613	interpolation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 13:40

98	0	interpolation and ((image adj1 (forming or printing) or printer) and (((((detect\$4 or measur\$4 or evaluat\$4 or sens\$4 or obtain\$4) adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error)) and (correct\$5 adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error))) not (@ad>19980703 not (continuation not provision\$2))) and (((((distort\$4 or misalign\$4 or shift\$4) with image near2 (formed or produced or printed)) and (maximum adj2 ((distort\$4 or misalign\$4 or shift\$4) or line near2 number))) or (((distort\$4 or misalign\$4 or shift\$4) with image near2 (formed or produced or printed)) and (predetermined adj2 ((distort\$4 or misalign\$4 or shift\$4) or line near2 number)))) not (@ad>19980703 not (continuation not provision\$2))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 13:40
103	116	((maximum or predetermined adj1 (range or value or distance))) and ((image adj1 (forming or printing) or printer) and (((((detect\$4 or measur\$4 or evaluat\$4 or sens\$4 or obtain\$4) adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error)) and (correct\$5 adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error))) not (@ad>19980703 not (continuation not provision\$2))) and ((resist with pattern) or ((test or reference) adj1 (pattern or mark)) or (resist with (pattern or mark)))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 13:41
99	18	interpolation and ((image adj1 (forming or printing) or printer) and (((((detect\$4 or measur\$4 or evaluat\$4 or sens\$4 or obtain\$4) adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error)) and (correct\$5 adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error))) not (@ad>19980703 not (continuation not provision\$2))) and (((color near1 (shift\$4 or distort\$4)) ot (line with address with change) or (bow adj1 distortion) or (positional adj1 error) or (image adj1 dislocation or color adj1 drift))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 13:41
100	24	interpolation and ((image adj1 (forming or printing) or printer) and (((((detect\$4 or measur\$4 or evaluat\$4 or sens\$4 or obtain\$4) adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error)) and (correct\$5 adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error))) not (@ad>19980703 not (continuation not provision\$2))) and ((resist with pattern) or ((test or reference) adj1 (pattern or mark)) or (resist with (pattern or mark)))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 14:06
104	15	(interpolation and ((image adj1 (forming or printing) or printer) and (((((detect\$4 or measur\$4 or evaluat\$4 or sens\$4 or obtain\$4) adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error)) and (correct\$5 adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error))) not (@ad>19980703 not (continuation not provision\$2))) and ((resist with pattern) or ((test or reference) adj1 (pattern or mark)) or (resist with (pattern or mark))))) not (interpolation and ((image adj1 (forming or printing) or printer) and (((((detect\$4 or measur\$4 or evaluat\$4 or sens\$4 or obtain\$4) adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error)) and (correct\$5 adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error))) not (@ad>19980703 not (continuation not provision\$2))) and (((color near1 (shift\$4 or distort\$4)) ot (line with address with change) or (bow adj1 distortion) or (positional adj1 error) or (image adj1 dislocation or color adj1 drift))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 14:06
101	5	((maximum or predetermined adj1 (range or value or distance))) and ((image adj1 (forming or printing) or printer) and (((((detect\$4 or measur\$4 or evaluat\$4 or sens\$4 or obtain\$4) adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error)) and (correct\$5 adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error))) not (@ad>19980703 not (continuation not provision\$2))) and (((((distort\$4 or misalign\$4 or shift\$4) with image near2 (formed or produced or printed)) and (maximum adj2 ((distort\$4 or misalign\$4 or shift\$4) or line near2 number))) or (((distort\$4 or misalign\$4 or shift\$4) with image near2 (formed or produced or printed)) and (predetermined adj2 ((distort\$4 or misalign\$4 or shift\$4) or line near2 number)))) not (@ad>19980703 not (continuation not provision\$2))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 14:07

102	102	((maximum or predetermined adj1 (range or value or distance))) and (((image adj1 (forming or printing) or printer) and (((detect\$4 or measur\$4 or evaluat\$4 or sens\$4 or obtain\$4) adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error)) and (correct\$5 adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error))) not (@ad>19980703 not (continuation not provision\$2))) and (((color near1 (shift\$4 or distort\$4)) ot (line with address with change) or (bow adj1 distortion) or (positional adj1 error) or (image adj1 dislocation or color adj1 drift))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 16:44
105	180482	((exceed\$4 or larger or greater or more) adj2 ((maximum or predetermined adj1 (range or value or distance)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 16:45
106	3818	((exceed\$4 or larger or greater or more) adj2 ((maximum or predetermined adj1 (range or value or distance))) same ((clamp\$4 or limit\$4 or setting) adj3 (maximum or predetermined adj1 (range or value or distance)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 16:45
107	2000	((exceed\$4 or larger or greater or more) adj2 ((maximum or predetermined adj1 (range or value or distance))) with ((clamp\$4 or limit\$4 or setting) adj3 (maximum or predetermined adj1 (range or value or distance)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 16:46
109	98	(correct\$5 adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error)) and (((exceed\$4 or larger or greater or more) adj2 ((maximum or predetermined adj1 (range or value or distance))) same ((clamp\$4 or limit\$4 or setting) adj3 (maximum or predetermined adj1 (range or value or distance)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 16:46
108	58	(correct\$5 adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error)) and (((exceed\$4 or larger or greater or more) adj2 ((maximum or predetermined adj1 (range or value or distance))) with ((clamp\$4 or limit\$4 or setting) adj3 (maximum or predetermined adj1 (range or value or distance)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 16:47
110	19075	(maximum adj2 ((distort\$4 or misalign\$4 or shift\$4) or line near2 number)) or (predetermined adj2 ((distort\$4 or misalign\$4 or shift\$4) or line near2 number))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 16:48
113	2	((maximum adj2 ((distort\$4 or misalign\$4 or shift\$4) or line near2 number)) or (predetermined adj2 ((distort\$4 or misalign\$4 or shift\$4) or line near2 number))) and (((correct\$5 adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error)) and (((exceed\$4 or larger or greater or more) adj2 ((maximum or predetermined adj1 (range or value or distance))) same ((clamp\$4 or limit\$4 or setting) adj3 (maximum or predetermined adj1 (range or value or distance))) not (@ad>19980703 not (continuation not provision\$2)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 16:49
112	9	(image adj1 (forming or printing) or printer) and (((correct\$5 adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error)) and (((exceed\$4 or larger or greater or more) adj2 ((maximum or predetermined adj1 (range or value or distance))) same ((clamp\$4 or limit\$4 or setting) adj3 (maximum or predetermined adj1 (range or value or distance))) not (@ad>19980703 not (continuation not provision\$2)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 16:50
111	55	((correct\$5 adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error)) and (((exceed\$4 or larger or greater or more) adj2 ((maximum or predetermined adj1 (range or value or distance))) same ((clamp\$4 or limit\$4 or setting) adj3 (maximum or predetermined adj1 (range or value or distance))) not (@ad>19980703 not (continuation not provision\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 16:57

115	251	(image adj1 (forming or printing) or printer) and (((exceed\$4 or larger or greater or more) adj2 ((maximum or predetermined adj1 (range or value or distance)))) same ((clamp\$4 or limit\$4 or setting) adj3 (maximum or predetermined adj1 (range or value or distance))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 16:57
114	143	(image adj1 (forming or printing) or printer) and (((exceed\$4 or larger or greater or more) adj2 ((maximum or predetermined adj1 (range or value or distance)))) with ((clamp\$4 or limit\$4 or setting) adj3 (maximum or predetermined adj1 (range or value or distance))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 16:58
117	139	((image adj1 (forming or printing) or printer) and (((exceed\$4 or larger or greater or more) adj2 ((maximum or predetermined adj1 (range or value or distance)))) same ((clamp\$4 or limit\$4 or setting) adj3 (maximum or predetermined adj1 (range or value or distance)))) not (@ad>19980703 not (continuation not provision\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 16:58
116	81	((image adj1 (forming or printing) or printer) and (((exceed\$4 or larger or greater or more) adj2 ((maximum or predetermined adj1 (range or value or distance)))) with ((clamp\$4 or limit\$4 or setting) adj3 (maximum or predetermined adj1 (range or value or distance)))) not (@ad>19980703 not (continuation not provision\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 16:58
118	0	(6323959.PN. and (((bow\$4 same distortion and print\$4) and (resist with pattern)) not ((correction adj1 (data or value) with main adj1 scan\$4) and (resist with pattern)))) and ((distort\$4 or misalign\$4 or shift\$4) with image near2 (formed or produced or printed))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 17:20
119	3346	(detect\$4 or measur\$4 or evaluat\$4) adj2 image near2 (formed or produced or printed)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 17:41
120	0	((image adj1 (forming or printing) or printer) and (((exceed\$4 or larger or greater or more) adj2 ((maximum or predetermined adj1 (range or value or distance)))) same ((clamp\$4 or limit\$4 or setting) adj3 (maximum or predetermined adj1 (range or value or distance)))) not (@ad>19980703 not (continuation not provision\$2))) and ((detect\$4 or measur\$4 or evaluat\$4) adj2 image near2 (formed or produced or printed))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 17:41
121	1	((exceed\$4 or larger or greater or more) adj2 ((maximum or predetermined adj1 (range or value or distance)))) same ((clamp\$4 or limit\$4 or setting) adj3 (maximum or predetermined adj1 (range or value or distance)))) and ((detect\$4 or measur\$4 or evaluat\$4) adj2 image near2 (formed or produced or printed))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 17:42